Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.41

WHOLE STALE PRICE LIST

JANUARY 20, 1944



ILGENFRITZ'

The Monroe Mursery MONROE, MICHIGAN.



.

DEAR BROTHER NURSERYMEN:

While we continue to list prices for less than ten, you will help us greatly by ordering at least ten of a kind and size if at all possible. We have much work to do for our small digging crew—orders for larger quantities of one kind will save time otherwise lost by frequent moving from one block to another. Please cooperate.

ORNAMENTAL SHRUBS

	l to 9 Each	10-29 Each	30 to 249 Each	250 & Up Each
ACANTHOPANAX—Aralia				
pentaphyllum 8' June	,			
Bright green leaves, arching branches, prick	ily.			
Good in poor soils. 2-3'	40	.30	.28	
3-4'		40	.35	
4-5'	60	.50	.40	
ALMOND				
Prunus glandulosa 6' May				
Very double, rose like flowers cover the branches before the leaves are out.				
Double pink				
18-24"		.28	.25	
2-3'	. 45	.35	.30	
Double white				
18-24"		.28	.25	
2-3'	45	.35	.30	
ALTHEA				
Hibiscus syriacus 12' August-September Large shrub for specimen or group planting Blooms when few other shrubs are showing				
flower.				
Anemonaeflorus, double pink Ardens, double violet Boule de feu, double red Joan d'Arc, double white				
Shrubform				
2-3'	25	.20	.18	
3-4'		.28	.25	
Treeform				
3-4'		.35	.30	
4-5'	60	.50	.40	
AMELANCHIER—Juneberry canadensis—30' May				
White flowers, purple fruit in June.	F.O.	.40	.35	
2-3'		.50	.33	
	00	.00		
ARALIA pentaphyllum See Acanthopanax				
ARONIA—Chokeberry				
brilliantissima 8' April-May				
Large, brilliant, red berries.	0.0	٥٢	.20	.18
18-24"		.25 .30	.28	.18
۷-۵	40	.00	0	

	to 9 Earch	10 to 29 Each	30 to 249 Each	250 & Up
ARONIA				
melanocarpa 6' April-May				
Shiny black fruit. Good in shade.				
15-18"		.16	.14	.12
18-24"		.20	.18	.15
2-3'	.35	.28	.25	.20
BERBERIS—Barberry				
koreanaKOREAN BARBERRY 6'				
Upright growing Barberry with suspended				
berries. Yellow, orange and red fall color.				
12-15"		.20	.17	
15-18"		.25	.20	
18-24''		.30	.28	
$2-2\frac{1}{2}$ '	.50	.40	.35	
mentorensis—MENTOR BARBERRY 5'				
Plant Patent No. 99				
Deep green foliage, turning coppery bronze				
in late Fall. Half evergreen in this climate.	0.5	00	0.5	
15-18"		.30	.25	
18-24"		.38	.30	
2-2 ¹ / ₂ ·		.45 .55	.40 .50	
$2\frac{1}{2}$ -3'	.63	.55	.50	
3 12 100				
15-18"1.35 5.00 37.50				
18-24"1.75 6.00 45.00				
2-21/2'2.25 8.00 60.00				
2½-3′2.75 10.00 75.00				
thunbergi-JAPANESE BARBERRY 5'				
Much used for hedges because of bushy				
growth and protecting thorns. Brilliant fall				
color, red berries. Excellent for shady				
locations.				
15-18"		.14	.12	.10
18-24"		.16	.14	.12
2-21/2'		.20	.18	.15
2 ½-3'		.28	.25	.20
thunbergi atropurpurea 5' REDLEAF BAR	RBERRY	Y		
Plant in sunny places for best color. Will				
add pleasing color contrast to any planting.	0.5	0.0	10	15
15-18"		.20 .25	.18 .20	.15 .18
18-24''		.23	.25	.10
2 ½-3'		.30	.28	.25
thunbergi erecta—TRUEHEDGE COLUMNBE		.30	.48	.23
For formal hedges, no shearing required.	nn i			
Very upright growth.				
Plant Pat. No. 110				
12-15"	.22	.18	.16	
15-18"		.22	.20	
Suggested Minimum Retail Prices.				
Each 5 Rate 25 Rate				
12-15"45 .35 .30				
15-18"				

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
Buckthorn see RHAMNUS				
BUDDLEIA—Butterflybush CHARMING BUTTERFLYBUSH New pink variety, blooming all summer large spikes. No. 1		.25	.20	
BUDDLEIA—Butterflybush ILE DE FRANCE 5' Dark claret-purple flowers, medium high continuous bloomer. No. 1		.25	.20	
CALLICARPA—Beautyberry purpurea 5' August Clusters of violet berries. 3-4'	25	.20	,18	
CALYCANTHUS—Sweetshrub floridus—CAROLINA ALLSPICE 5' June- Fragrant, chocolate colored flowers, glossy leaves, thrives in shady locations. 2-3'		.35	.30	
CARAGANA—Peatree arborescens—SIBERIAN PEATREE 12' M Bright yellow pea-shaped flowers, strong grower. 2-3'		.25	.20	
3-4'		.28	.25	
CEPHALANTHUS—Buttonbush occidentalis 6' July Prefers moist soils. Balls of small white flowers.		.25	.20	
4-5'	40	.30	.28	
CORNUS—Dogwood alba siberica—TARTARIAN DOGWOOD Bright red branches, white flowers.	10' Apr	il-May		
2-3' 3-4' 4-5' 5-6'	35 45 50	.20 .28 .35 .40	.18 .25 .30 .35	.20 .28 .30
alba elegantissima—SILVER DOGWOOD Silver and green leaves on red stems. 2-3' 3-4' 4-5' alternifolia—BLUE DOGWOOD 25' May Horizontal branches, dark blue berries. 4-5'	40 50 60	.35 .40 .50	.30 .35 .40	

	1 to 9	10 to 29	30 to 249	250 & Up
CORNUS—Dogwood	Each	Each	Each	Each
amomum—SILKY DOGWOOD 10' June- Purplish red twigs, dark green foliage silky underneath.				
4-5'		.35 .40	.30 .35	.30
baileyi—BAILEY DOGWOOD Dark red branches, white berries, good fa	11			
2-3' 3-4' 4-5' 5-6'	35	.20 .28 .35 .40	.18 .25 .30 .35	.15 .20 .28 .30
mascula—CORNELIAN CHERRY 20' M Yellow flowers in umbels before the leave appear. Edible, scarlet fruit ¾'' long. 4-5'	s 1.25	il		
sanguinea—BLOODTWIG DOGWOOD 1 Purple or dark red branches, black fruit.	2' May	June		
4-5 ′		.36 .40	.32 .35	.30
stolonifera—RED OSIER DOGWOOD 8' Dark red branches, white flowers and frui spreading habit.	t,			
3-4' 4-5'	45	.28 .35 .40	.25 .30 .35	.20
stolonifera flaviramea—YELLOWTWIG DO A yellow branched form of Stolonifera.)GWOO	D 8' M	ay-Jun e	
2-3' 3-4' 4-5'	35	.20 .28 .35	.18 .25 .30	.20
CORYLUS—Hazel or Filbert americana—AMERICAN HAZELNUT 10' Thrives in shady locations, upright growth edible nuts.	i,			
2-3' 3-4' 4-5' 5-6' 6-8'	50 60 90	.30 .40 .50 .70 1.20	.28 .35 .40 .65 1.00	.25 .30
COTONEASTER acutifolia—PEKING COTONEASTER 12' Good hedge shrub, dark green leaves, blackfruit, red and yellow fall foliage.	ĸ			
2-3' 3-4' 4-5'	35	.20 .28 .35	.18 .25 .30	.20

divaricata	COTONEASTER	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
2.3'	Pink flowers, branches studded with red	- ,	10		
A fine massive shrub for screening. Heavy, glossy leaves, black berries, orange and scarlet foliage in fall. 2-3'	2-3'	80 .1.00	.65 .80	.55 .70	
3.4'	A fine massive shrub for screening. Heavy glossy leaves, black berries, orange and scarlet foliage in fall.	ĺ	F.O.	40	
Abundance of large red berries, grayish foliage. 4.5'	3-4'	80	.65	.55	.60
CYDONIA—(CHAENOMELES) japonica—JAPAN FLOWERING QUINCE 6' March-April Clusters of scarlet flowers. Much noticed in spring, large fragrant fruits. 15-18"	Abundance of large red berries, grayish				
Japonica	5-6′				
15-18"	japonica—JAPAN FLOWERING QUINCE Clusters of scarlet flowers. Much noticed in		ch-April		
Low spreading shrub, orange flowers, yellow fruit. 15-18"	15-18"	35	.28	.25	.20
15-18"	Low spreading shrub, orange flowers, yel		h-Aprıl		
gracilis—SLENDER DEUTZIA 3' May Graceful dwarf shrub. Snow-white flowers. .25 .22 .20 15-18" .35 .28 .25 gracilis rosea—ROSE PANICLE DEUTZIA 5' Slightly larger growing with pink flowers. A good border plant. .40 .30 .28 2-3" .50 .40 .35 lemoinei—LEMOINE DEUTZIA 5' May Semi-dwarf. Creamy white flowers. 18-24" .30 .25 .20 scabra—PRIDE OF ROCHESTER 10' May Double white flowers, tinged pink. 2-3' .30 .25 .20	15-18"				.15
12-15"	gracilis—SLENDER DEUTZIA 3' May				
Slightly larger growing with pink flowers. A good border plant. .40 .30 .28 18-24"	12-15"	25			
2-3'	Šlightly larger growing with pink flowers. A good border plant.		00	00	
Semi-dwarf. Creamy white flowers. .30 .25 .20 scabra—PRIDE OF ROCHESTER 10' May Double white flowers, tinged pink. .30 .25 .20	2-3'				
Double white flowers, tinged pink. 30 .25 .20	Semi-dwarf. Creamy white flowers.		.25	.20	
	Double white flowers, tinged pink. 2-3'	30			

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
DIERVILLA	Eden	Eden	Eden	Eden
sessifolia—SOUTHERN BUSH HONEYSUCK Leaves resembling Weigela, yellow flow-	LE 4'	June-July	7	
ers, spreading. 18-24" 2-3'		.20 .25		
ELAEAGNUS—Oleaster				
angustifolia—RUSSIAN OLIVE 20' June Silvery foliage, yellowish white fragrant				
flowers. Large gray fruit. 3-4' 4-5' 5-6'	50	.30 .40 .50	.28 .35 .40	.25
argentea—SILVERBERRY 12' May Silvery leaves, fragrant flowers, spineless. 4-5'		.40 .50	.35 .40	
umbellata 12' May-June Oval scarlet fruit, green leaves. 5-6'	60	.50	.40	
EUONYMUS—Spindle-Tree alata—CORKBARK EUONYMUS 10' May Winged branches, small yellowish flowers, red fruits. Crimson fall foliage.	r-June			
18-24'' 2-3' 3-4'	70	.40 .55 .65	.35 .50 .55	.30 .40
alata compacta 6' May-June Compact form of Euonymus alata. 18-24"		.55 .80	.50 .70	.40 .60
atropurpurea—BURNING BUSH 20' June Scarlet fruit in October. 3-4'		.40	.30	
4-5' bungeana—WINTERBERRY EUONYMUS	50	.45	.00	
Large leaves, orange seeds. 5-6'		.55	.50	.40
europaea—EUROPEAN BURNING BUSH 1 Large shrub or small tree. Yellow flowers; pink fruits hang on long after foliage has dropped.		ne		
4.5' 5-6' radicans vegetus—BIGLEAF WINTERCREEF	70	.50 .55	.40 .50	
Large glossy green foliage, scarlet berries. Evergreen. 12-15"		.35	.30	
15-18"		.40	.35	

	1 to 9	10 to 29	30 to 249	250 & Uz
EUONYMUS—Spindle Tree	Each	Each	Each	Each
vedoensis — YEDDO EUONYMUS 15'				
Pink and orange fruit, bright fall coloring.	.40	.30	.28	.25
3-4'		.35 .50	.30 .40	.28 .35
EXOCHORDA—Pearlbush				
grandiflora 10' May-June Pearl like buds, pure white flowers. Prefers moist soil.				
4-5'		.40 .50	.35 .40	
FORSYTHIA—Goldenbell				
Dwarf variety Compact growing.				
2-3'		.30 .30	.28 .28	.25 .25
intermedia spectabilis—SHOWY BORDER FO	ORSYTH	HIA 8'	April	
Profuse yellow flowers in early spring. 2-3'	.30	.25	.20	
3-4'		.30 .40	.28 .35	.25 .30
5-6'		.50	.40	
suspensa 6' April				
Drooping habit, excellent for massing and planting on banks.				
4-5'		.40 .50	.35 .40	
suspensa fortunei—FORTUNE FORSYTHIA		ril		
Upright shrub with slightly drooping branches.	1			
4-5'	.50	.40	.35	
HALESIA—Silverbell				
tetraptera—40' April Bell-shaped white flowers, winged fruit.				
5-6'	.70	.55	.50	
HAMAMELIS—Witch Hazel				
virginiana—COMMON WITCH HAZEL 15' Yellow fringe-like flowers, appear after foliage has dropped. The dark brown seeds	Octob	<i>∍.</i> r		
add to its attraction.	4 5	25	.30	
2-3' 3-4'		.35 .40	.35	
HIPPOPHAE—Sea Buckthorn				
Silvery foliage, orange berries.		45	40	
4-5'	.50	.45	.40	

STRUBS				
	i to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
HIBISCUS	Eden	<u> Lac.</u>	2001	
syriacus 12' August-September				
Blooms when no other shrub is showing				
flower. Large shrub for specimen or group)			
planting.				
Anemonaeflorus, double pink Boule de feu, double red				
Ardens, double violet				
Joan d'Arc, double white				
Shrubform				
2-3'	25	.20	.18	
3-4'	35	.28	.25	
Treeform				
3-4'		.35	.30	
4-5'	60	.50	.40	
HONEYSUCKLE—See LONICERA				
HYDRANGEA				
arborescens grandiflora—SNOWHILL HYD	RANGE	EA 5′ Ju	ine-July	
Large heads of white flowers.	0.5	00	0.5	
18-24''		.28 .40	.25 .35	
paniculata grandiflora—PEEGEE HYDRAN Enormous trusses of white flowers chang	GEA 8	8' Augus	t-Septemb	er
tng to pink and bronze in fall.	-			
18-24"	30	.25	.20	
2-3'		.35	.30	
ILEX				
verticillata —MICHIGAN HOLLY				
Shiny red berries after leaves drop.				
2-3'	40	.30	.28	.25
KOLKWITZIA				
amabilis—BEAUTYBUSH 8' May Arching sprays of pink flowers.				
2-3'	60	.50	.40	
		.00		
LIGUSTRUM—Privet				
ibolium—IBOLIUM PRIVET 8'				
Hardy privet with glossy leaves. 12-18"	00	07	00	0.5
18-24"		.07 .09	.06 .08	.05 .07
2-3'		.11	.10	.09
ibota—IBOTA PRIVET 8'			.10	.00
Spreading habit, arching branches, covered	1			
with black berries in the fall.	-			
2-3'	15	.13	.12	
ibota regelianum—REGEL PRIVET 8'				
A low spreading form which retains the	€			
berries all winter.				
18-24" 2-3'		.28	.25	.20
4-0,	40	.30	.28	.25

LIGHGEDHA D.	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
LIGUSTRUM—Privet ovalifolium—CALIFORNIA PRIVET 12' Almost evergreen. Glossy foliage. Les hardy than Amur Privet.	s			
12-18'' 18-24'' 2-3'	08	.05 .07 .09	.04 .06 .08	.03 ½ .05 .07
LILAC—See SYRINGA				
LONICERA—Honeysuckle fragrantissima—WINTER HONEYSUCKLE Spreading shrub with deep green almos evergreen foliage. Fragrant cream-colored flowers.	t	ch-April		
2-3'	25	.22	.20	
halleanasee Vines				
korolkovi—BLUELEAF HONEYSUCKLE 10 Blue foliage, pink flowers, red and orange berries.	1	-May		
2-3' 3-4' 4-5'	60	.40 .50 .60	.35 .40 .50	
morrowi—MORROW HONEYSUCKLE 6' Yellowish white flowers and red fruit. Low spreading habit.		ne		
2-3' 3-4' 4-5' 5-6'	45	.25 .35 .40 .50	.20 .30 .35 .40	.28 .30
sempervirens—see VINES	00	.50	.40	
syringantha 3' Creeping shrub with lilac flowers.				
2-3'	60	.50	.40	.35
tatarica alba—WHITE TATARIAN HONEY Upright grower, creamy flowers, red berries	١.		pril-May .20	
2-3'	35	.22 .28 .30	.25 .28	.20 .25
tatarica rosea—PINK TATARIAN HONEYS Best known pink-flowering honeysuckle.	UCKLE	12' Apr	il-May	
2-3'	35	.20 .28 .30	.18 .25 .28	.15 .20 .25
tatarica siberica—RED TATARIAN HONE A red-flowering variety.	YSUCKLI	E 12' Å	pril-May	
2-3'	35	.20 .28 .30 .40	.18 .25 .28 .35	.15 .20 .25

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
MAHONIA—Hollygrape				
aquifolium—OREGON HOLLYGRAPE 5' Likes shady location. The shiny dark greer leaves turn bronze in Fall and remain on the	1			
stems all Winter. Blue berries. 15-18" B&B		1.35 1.55		
PHILADELPHUS—Mockorange coronarius—SWEET MOCKORANGE 10'	May-J	une		
Vigorous grower, very fragrant. 3-4'	35	.28	.25	
coronarius aureus—GOLDEN MOCKORANG A smaller, yellow-leaved variety.	GE 5'	May-June		
12-15''	45	.25 .35		
gordonianus—GORDON MOCKORANGE Bears a profusion of white flowers, slightly fragrant.		ne-July		
3-4'	35	.28	.25	
PHILADELPHUS—Mockorange lemoinei —LEMOINE MOCKORANGE 5' Semi-dwarf, dense racemes of small fragrant white flowers.	-			
2-3'		.28 .30	.25 .28	.20
virginale—VIRGINAL MOCKORANGE 8' Very large, semi-double fragrant white flowers.		June		
18-24" 2-3'		.30 .40	.28 .35	
PHOTINIA villosα 15' Red berries, October-November.				
2-3'	35	.28	.25	,
PHYSOCARPUS—Ninebark opulifolius—COMMON NINEBARK 10' 11 Thrives in partial shade, fast growing, at	May-Ju -	ne		
tractive red seedpods. 2-3'		.20 .28	.15 .25	
opulifolius aureus —GOLDEN NINEBARK A yellow leaved variety.		lay-June		
2-3"		.20 .28	.18 .25	.15
opulifolius nanus—DWARF NINEBARK 5 Compact shrub with small leaves, excellen for hedges.				
18-24" 2-3'		.20 .25	.18 .20	

PRUNUS—see also trees. $^{1 \text{ to 9}}$		30 to 249 Each	250 & U p Each
americana—AMERICAN PLUM 20' Attractive large fruit, edible.			
5-6'	.50 .65 .90	.40 .55 .80	
glandulosa—PINK FLOWERING ALMOND 6' 1 Very double, rose-like flowers cover the branches before the leaves are out. Double pink.	Мау		
18-24"	.28 .35	.25 .30	
glandulosa a!baWHITE FLOWERING ALMONI Double White.			
18-24''	.28 .35	.25 .30	
pissardi—see TREES			
triloba—see TREES			
tomentosa—NANKING CHERRY 8' April-May Light pink flowers before leaves appear. Covered in June with small cherries.			
18-24" .30 2-3' .40 3-4' .60 4-5' .70 5-6' .1.25	.25 .30 .50 .55 1.10	.20 .28 .40 .50 1.00	.18 .25 .35
RHAMNUS—Buckthorn cathartica—COMMON BUCKTHORN 12' June Vigorous shrub, loaded with black berries			
in fall. 5-6'	.36	.32	
frangula—GLOSSY BUCKTHORN 12' June Shiny leaves, thornless branches, fine for high hedges.			
3-4" .30 4-5' .40 5-6' .50 6-8' .80 8-10' .1.25	.25 .30 .40 .55	.20 .28 .35 .50	
RHODOTYPOS kerrioides—JETBEAD 6' April-May Light green foliage, white flowers followed by black fruits. Good shrub for shady			
places. 18-24'' .25 2-3' .40 3-4' .50	.22 .30 .40	.20 .28 .35	.25 .30

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
RHUS—Sumac canadensis—FRAGRANT SUMAC 6' A Valued for its orange and red fall-color. La	April-May ow			
spreading habit. 2-3'	40	.36	.32	
cotinus—PURPLE FRINGE 12' July-Aud Also called Smoketree because the feather purple flowers give the effect of smoke.	ery			
18-24'' 2-3' 3-4' 4-5' 5-6'		.35 .45 .55 .65 .70	.30 .40 .50 .55 .65	.28 .35 .40 .50 .55
copallina —SHINY SUMAC 12' Brilliant autumn coloring. 5-6'	70	.55	.50	
RIBES—Currant alpinum— ALPINE CURRANT 7' May Dense shrub, scarlet fruit.				
18-24"		.28 .30	.25 .28	
SAMBUCUS—Elder canadensis—COMMON ELDER 10' Ju White flowers followed by elderberries.	ne-July			
4-5' canadensis aurea—GOLDEN ELDER 10 Yellow leaves, white flowers.		.30 ly	.28	
3-4'	30	.25		
SPIRAEA Anthony Waterer Spirea 3' June-Septe Flat red flower heads.	mber			
12-15"		.15 .20	.14 .18	.12 .15
arguta 5' April Pure white flowers on graceful stems. 18-24" 2-3' 3-4'	35	.20 .28 .30	.18 .25 .28	.15 .20
billiardi—BILLIARD SPIREA 6' July-Se Dense panicles of pink flowers. 18-24"	20	.16 .20	.14 .18	.12 .15
froebeli—FROEBEL SPIREA 4' May-Jur Similar to Anthony Waterer Spirea, sligh larger, foliage color in autumn.	ne	.20	.10	.10
12-15" 15-18" 18-24"	25	.16 .20 .25	.14 .18 .20	.12 .15 .18

SPIRAEA	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
thurbergi—THUNBERG SPIREA 4' April Dwarf plant with graceful arching branches, pure white flowers and dainty light green leaves.				
15-18" 18-24" 2-3' 3-4' van houttei—VAN HOUTTE SPIREA 10' A beautiful sight when the arching branch-	25 30 40 April-Ma	.16 .20 .25 .30	.14 .18 .20 .28	.12 .15 .18
es are loaded with clusters of snow-white flowers. 2-3'	20	.16 .20	.14 .18	.12
Drooping branches, dainty small leaves, red berries. Holds foliage very late.				
2-3' 3-4' racemosus—SNOWBERRY 6' June-July Large white berries which remain after the foliage has dropped.	30	.20 .25	.18 .20	.15 .18
2-3' 3-4' vulgaris—CORALBERRY 6' June-July Bunches of red berries follow the small pink	30	.16 .25	.14 .20	.12
flowers. 2-3' 3-4' CVDING A. Libra.		.16 .25	.14 .20	.12 .18
SYRINGA—Lilac persica—PERSIAN LILAC 10' April-M Small narrow leaves. Large clusters of lilac colored flowers.				
2-3'		.30 .40	.28 .35	
2-3' 3-4' vulgaris—COMMON PURPLE LILAC 18' Free bloomer, vigorous grower.	50	.28 .40	.25 .35	
18-24" 2-3' 3-4' 4-5' vulgaris alba—COMMON WHITE LILAC	35 50	.18 .28 .40 .50	.16 .25 .35 .40	.20 .30
Single white flowers. 2-3'	60	.35 .50 .55	.30 .40 .50	

1 to 9	10 to 29	30 to 249	250 & Up
HYBRID LILACS		Each	Each
Single white.			
Double white.			
Single dark red.			
Single light red.			
Double light red, fading to blue.			
2-3'	.45		
3-4'	.65		
TAMARIX			
africana—AFRICAN TAMARIX 12' May			
Reddish-brown bark, pink flowers.			
3-4'	.28	.25	
amurensis—AMUR TAMARIX 12' June-July			
Blue foliage, rosy-pink flowers.	00	0.5	
3-4'	.28	.25	
VIBURNUM			
americana—AMERICAN CRANBERRYBUSH 12'	April-May		
Yellow berries which turn red; also valued			
for the reddish fall color of the foliage.	F.O.	40	.35
3-4'	.50 .55	.40 .50	.35
	.55	.50	
carlesi—FRAGRANT VIBURNUM 5' May Very fragrant, pink-flushed flowers.			
15-18" bare root			
18-24" bare root			
2-3' bare root			
dentatum—ARROWWOOD 12' May			
Bright green foliage, black berries.			
2-3'	.28	.25	.20
3-4'	.30	.28	.25
4-5'	.40 .65	.35	.30
	.63		
lantana—WAYFARING TREE 15' May Heavy, dark green leaves. The red berries			
turn black. Good for screens.			
2-3'	.28	.25	.20
3-4'	.30	.28	.25
4-5'	.40	.35	
5-6'	.65		
6-7'	.80		
lentago—NANNYBERRY 20' May Large blue black fruit. Brilliantly colored			
leaves in fall.			
2-3'	.36	.32	.28
3-4'	.40	.35	.30
4-5'	.55	.50	.40
5-6'	.65	.55	
molle—KENTUCKY VIBURNUM 8'			
Resembles V. dentatum, slower growing. 18-24"	.20	10	
2-3'	.28	.18 .25	.20
= =	.20	.20	.20

	l to 9 Each	10 to 29 Each	30 to 249 Each	25 0 & Up Each
VIBURNUM	Ducii	Lacii	Dacii	Dacii
opulus—EUROPEAN CRANBERRYBUSH	12' A	pril-May		
Large bunches of single berries. The flowers		P188 1.10.7		
are white.				
18-24''	25	.20	.18	
2-3'	35	.31	.28	.25
3-4'	50	.40	.35	.30
4-5'	70	.55	.50	.40
5-6′	80	.65	.55	
opulus nanus—DWARF CRANBERRYBUSH	I 4'			
For borders and low hedges. Very compact				
6-9''	30	.25		
9-12''	45	.41		
opulus sterile—COMMON SNOWBALL 1	2' Ap	ril-May		
Large snowball-like flowers.				
18-24''	30	.25	.20	
2-3'		.31	.28	.25
3-4'		.40	.35	.30
4-5'	70	.55	.50	.40
5-6'	80	.65	.55	
sieboldi-SIEBOLD VIBURNUM 10'				
New. Large shiny leathery leaves. The ligh	it			
red fruits turn dark.				
2-3'		.40		
3-4'	60	.50		
tomentosum—DOUBLEFILE VIBURNUM 8	3' May	-June		
Large white flowers followed by red berries				
2-3'		.28	.25	
3-4'	50	.40	.35	
WEIGEL &				
WEIGELA				
Abel Carriere ABEL CARRIERE WEIGEI	_A 6	May		
Red flowers, good bloomer.	0.0	.25	.20	
2-3'		.30	.28	
3-4'			.28	
Eva Rathke—REDFLOWERING WEIGELA	5′ M	ay-June		
Deep red, trumpet shaped flowers.	0.5	00	0.5	
18-24"		.28	.25	
2-3'	40	.30	.28	
rosea—PINK WEIGELA 8' May-June				
Pink flowers, erect grower.	20	.25	.20	
		.23	.28	
3-4'	40	.50	.40	

SHADE TREES

All trees are priced bare root unless marked B&B. 1 to 9 10 to 29 30 to 249 250 & Up

	Each	Each	Each	Each
ACER—Maple				
dasycarpum—SILVER MAPLE 80'				
Fast growing tree, leaves silvery under	neath.		0.5	
8-10'		.95	.85	
1 1/4-1 1/2"		1.20	1.05	
11/2-13/4"		1.40	1.20	
13/4-2"		1.60	1.40	
2-21/2"		2.00	1.80	
21/2-3"	3.00	2.40		
dasycarpum wieri—WIER MAPLE 80'				
Drooping branches, cut leaves.		0.5	0.5	
8-10'		.95	.85	
1 1/4-1 1/2"		1.20	1.05	
1 ½-1 ¾-1 ¼-1		1.40	1.20	
13/4-2"				
2-2½"				
21/2-3''	3.00			
ginnala —AMUR MAPLE 25'				
Brightly colored leaves in fall.	1.00	.80	.70	
5-6'		1.20	1.05	
	1.50	1.20	1.00	
negundo—BOXELDER 50'				
Bright green foliage, fast growing. 8-10'	1.00	.90		
11/4-11/2"		.50		
1½-2"				
2-21/2"				
palmatum atropurpureum—JAPANESE BLO		MAPLE	15'	
Grafted	ODDEIII			
Small, graceful specimen tree for color con-				
trast. Very popular.				
5" pots 12-18"	. 1.75			
platanoides—NORWAY MAPLE 50'				
Broad, round top. Fine for street planting.				
11/4-11/2"	. 3.00	2.50	2.00	1.80
1½-1¾-1 1/2-1 1/4	. 3.50	2.80	2.45	2.10
13/4-2"	. 4.00	3.20	2.80	2.40
2-21/2"	. 4.50	3.60	3.15	
2 1/2-3''	.5.00	4.00	3.50	
platanoides schwedleri—SCHWEDLER MA	PLE 50	1'		
Red leaves in spring, otherwise resembling		,		
Norway Maple.				
8-10' whips	. 1.50	1.35		
8-10' branched	. 2.50	2.00		
rubrum—RED MAPLE 75'				
Scarlet fall foliage, light bark.				
6-8'	. 1.25	1.00		
8-10'	.1.50	1.20		

	1 to 9	10 to 29	30 to 249	250 & Up
AESCULUS	Each	Each	Each	Each
hippocastanum—HORSECHESTNUT 70' White flowers, tinged red.	May			
5-6' 6-8' 8-10' 2 2 ½2'' 2 ½-3''	1.50 2.00 4.00	1.00	.90	
ALNUS—Alder glutinosa—BLACK ALDER 60' Slender tree with rich green foliage.				
5-6' 6-8' 8 10 1½-1½" 1½-134"	70 1.25 1.75	.80 1.00 1.00 1.40 2.00	.65 .80	.55 .70
greenish white flowers in July.	of			
ASH see Fraxinus BETULA—Birch	1.50			
alba—EUROPEAN WHITE BIRCH 40'				
Attractive white bark. 5-6' 6-8' 1 ½-1 ½'' 1 ½-1 ¾'' 1 ¾-2'' 2-2 ½'' 2 ½-3''	1.00 1.50 2.00 2.50 3.50	.55 .80 1.20 1.60 2.00 2.80	.50 .70 1.05 1.40 1.75 2.45	
6-8' BB 2 stems	8.50 . 13.00 . 20.00 8.50 . 13.00 . 20.00			
Drooping branches, deeply cut leaves. 4-5' 5-6' 6-8' 8-10'	1.00 1.50	.65 .90 1.20 1.80		
CATALPA speciosa—WESTERN CATALPA 35'				
speciosa—WESTERN CATALPA 35' Fragrant white and yellow flowers. 8-10'	60	.50	.40	
bungei—UMBRELLA CATALPA 6' 2 Year Heads		1.00	.90	. 7 5

TREES	THE MON	ROE NU	JRSERY
I to Eac		30 to 249 Each	250 & Up Each
CELTIS			
occidentalis —HACKBERRY 50'			
A hardy shadetree with broad top.			
6-8'	0 .70	.65	
8-10'		.90	
11/4-11/2"		1.05	
$1\frac{74-172}{1\frac{1}{2}-2''}$		1.40	
2-2 \(\frac{1}{2}\)'' \(\frac{3.00}{2}\)		2.10	
		2.10	
$2\frac{1}{2}$ -3''4.0	U		
CERCIS—Redbud			
canadensis—AMERICAN REDBUD 30' April			
Clusters of red flowers before the leaves			
appear.	0 .40		
3-4'			
4-5'			
5-6'	0 .95		
CODNIC			
CORNUS			
florida—WHITE FLOWERING DOGWOOD 30	O' May		
Large white flowers.			
3-4' BB		1.20	
4-5' BB		1.75	
5-6' BB4.0		2.80	
florida rubra—RED FLOWERING DOGWOOD			
3-4' B&B			
4-5' B&B			
5-6' B&B	0		
CRATAEGUS—Hawthorn			
Crataegus requires proportionately larger ball	ls than other	items.	
3-4 ft., 15 inch dia. 5-6 ft., 21 inch dia. 8-10	ft., 27 inch d	iα.	
4-5 ft., 18 inch dia. 6-8 ft., 24 inch dia.			
coccinea-SCARLET FRUITED HAWTHORN			
5-6'	0 1.30		
6-8'		1.40	
8-10'		1.75	
		1./3	
cordata—WASHINGTON THORN 30' May-Ju	une		
Beautiful fall coloring. Clusters of small,			
bright red berries. Upright habit of growth,			
fine for hedging.			
4-5'		.70	
5-6'		.90	
6-8'		1.40	
8-10'	0 2.40	2.10	
crusgalli—COCKSPUR THORN 40' May-June			
Branches wide spreading. The red fruit often			
remains on the branches till spring. Glossy			
leaves, assuming orange and scarlet colors			
in fall.			
3-4'	.80	.70	.60
4-5'	5 1.00	.90	.75
5-6'		1.60	1.40

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CRATAEGUS—Hawthorn	Eden	Laci	Eden
cuneata			
Spreading habit, red fruit. 4-5'	.80	.70	.60
5-6'	1.00	.90	.75
mollis—DOWNY HAWTHORN 30' April-May			
One of the most decorative Hawthorns with			
large leaves. The showy fruits drop after			
ripening. 4-5'	.80	.70	.60
5-6'	1.00	.90	.75
6-8'	1.60	1.40	1.20
8-10'			
oxyacantha—ENGLISH HAWTHORN 15' May Fragrant white flowers followed by scarlet			
fruits.			
4-5'	.80	.70	.60
5-6'			
6-8'	251 24		
oxyacantha splendens —PAUL SCARLET THORN Double rose flowers.	15' May		
3-4'			
4-5'			
5-6'			
punctata —DOTTED HAWTHORN 30' May			
Broad-headed tree, white flowers, red fruit.	.80		
5-6'	1.00		
tomentosa 20' May			
Spreading small tree, gray bark, elongated			
red fruit			
4-5'	.80	.70	
FAGUS—Beech			
sylvatica—EUROPEAN BEECH 80'			
Light gray bark. The leaves turn yellow in			
fall and remain on the tree nearly all winter. 5-6' BB			
6-8' BB			
8-10' BB9.00			
FRAXINUS—Ash			
americana—AMERICAN ASH 75'			
Also called White Ash. A good tree for			
street planting.			
6-8'	.55 .80	.50 .70	
$1\frac{1}{4} - 1\frac{1}{2}$ "	1.00	.90	
$1\frac{1}{2} \cdot 1\frac{3}{4}$	1.20	1.05	
13/4-2"	1.40	1.20	
$2 - 2 \frac{1}{2}$	1.80	1.60	
472-3			

TREES	11	TE MON	KOE NO	RSERI
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
GLEDITSIA				
triacanthos—HONEYLOCUST 90'				
Long lived, hardy tree, thorny. Large pods				
of seeds.		0.5	=0	
6-8'		.95	.70	00
8-10'		1.20 1.60	1.05 1.40	.90 1.20
$1^{1}/_{4}-1^{1}/_{2}$ "		2.00	1.75	1.50
1 1/2 - 2	2.30	2.00	1.75	1.50
GYMNOCLADUS				
dioica— KENTUCKY COFFEE TREE 100'				
Large compound leaves, ascending branche	es.			
5-6 [°]	1.00	.80	.70	
6-8'	1.25	1.00	.90	
LIDIODENIDONI				
LIRIODENDRON				
tulipifera—TULIPTREE 70				
Clean, straight trunk, excellent street tree. Tulip shaped flowers, green and orange.				
Spring planting only.				
6-8'	1.25	1.00	.90	
MAGNOLIA				
soulangeana—SAUCER MAGNOLIA 20'				
Flower petals creamy white inside, rosy				
pink outside. Blooms in March.	r 00			
3-4' BB Heavy Specimens				
4-5' BB Heavy Specimens	7.30			
MALUS—Flowering Crab				
arnoldiana—ARNOLD CRAB 12'				
Single pink flowers, yellow fruit.				
3-4'	.60	.50	.40	
4-5'	.70	.55	.50	
atrosanguinea —CARMINE CRAB				
4-5′	.70	.55		
5-6′	.90	.70	.65	
baccata—SIBERIAN CRAB 30'				
Single white flowers, red or yellow fruit.				
3-4'		.50		
4-5'		.55	.50	
5-6'		.70	.65	
6-8'	1.00	.80	.70	
coronaria—WILD SWEET CRAB 30'				
Delicate pink, single, fragrant.	00		40	
4-5'		.50	.40	
5-6'		.55 .70	.50 .65	
6-7'		.70	.65 .70	
DOLGA 20'	1.00	.00	./0	
Pink bud, opens white, large red fruit.				
4-5'	70	.55	.50	
5-6'		.70	.65	
		., 0	.50	

<u>1</u> to 9	10 to 29	30 to 249	250 & Up
MALUS—Flowering Crab	Each	Each	Each
DR. VAN FLEET			
Pink flowers, fast grower.			
5-6'			
6-7'			
eleyi—ELEY CRAB 20'			
Single light red flowers, purple foliage.	.50	.40	
4-5'	.55	.50	
floribunda—JAPANESE FLOWERING CRAB 20'			
Crimson flowers.			
3-4'	.50	.40	
4-5'	.55	.50	
halliana parkmani			
3-4'	.55 .80	.70	
ioensis plenα—BECHTEL CRAB 15'	.00	.70	
Double pink flowers.			
2-3'	.35	.30	.28
3-4'	.50	.40	.35
4-5'	.55 .70	.50 .65	.40 .50
pumila niedzwetzkyana—REDVEIN CRAB 20'	.70	.65	.50
Single red flowers, red fruit.			
3-4'	.50	.40	
4-5'	.55	.50	
6-8'	.80	.70	.60
prunifolia fructo coccinea Scarlet fruit.			
3-4'	.50	.40	
prunifolia rinki—CHINESE APPLE 15'			
Single white flowers, flushed pink.			
3-4'	.50	.40	
8-10'	1.20		
sargenti—SARGENT CRAB 6' Single white flowers, dark red fruit.			
2-3'	.50	.40	
3-4'	.55	.50	
scheideckeri—SCHEIDECKER CRAB 20'			
Semi-double pink flowers, yellow fruit.		40	
3-4'	.50 .55	.40 .50	
spectabilis—CHINESE FLOWERING CRAB 15	.00	.00	
Semi-double pink flowers, yellow fruit.			
3-4'	.50	.40	
4-5'	.55	.50	
zumi calocarpa 15' Cerise buds opening pink, small red fruit.			
2-3'	.50	.40	
3-4'	.55	.50	
4-5'	.70	.65	

IREES	HE MON	ROE N	JKSEK I
l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
MORUS—Mulberry			
alba pedula—WEEPING MULBERRY			
2 yr. heads	1.20	1.05	
PHELODENDRON amurense—Korktree			
6-8'	.80	.70	
$1\frac{1}{4} \cdot 1\frac{1}{2}$	1.80	1.60	
PLATANUS—Plane tree occidentalis—AMERICAN PLANE TREE 130' The green and creamy white bark gives a striking appearance. 6-8'	.80	.70	.60
8-10'	1.20	1.05	.90
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	1.60	1.40	1.25
$1\frac{1}{2} - 1\frac{3}{4}$	2.00	1.75	1.50
$1^{\frac{3}{4}} \cdot 2^{\frac{1}{4}} \cdot \dots \cdot 3.00$	2.40	2.10	1.50
2-2 \(\frac{1}{2}'' \)	2.40	2.45	
2-2 /2	2.00	2.40	
POPULUS—Poplar			
bolleana—BOLLEANA POPLAR 60' Green bark, silvery foliage.			
6-8'	.55	.50	
8-10'	.70	.65	
$1\frac{1}{4} \cdot 1\frac{1}{2}$.80	.70	
1½-2′′	1.00	.90	
$2 \cdot 2^{1/2}$			
eugenei—CAROLINA POPLAR 100'			
A large spreading tree; fast grower. 8-10'	F0	40	
8-10'	.50 .55	.40	
$1\frac{1}{4}-1\frac{7}{2}$.55 .80	.50	
	.80		
nigra italica—LOMBARDY POPLAR 80'			
Pyramidal habit, often used for screens. 5-6'	.25	.20	.18
6-8'	.28	.25	.10
2-21/2" 1.20	.20	.23	
simoni—SIMON POPLAR 25'			
Outline similar to Lombardy Poplar but			
broader. Much smaller and with shiny leaves.			
5-6'	.35	.30	,
6-860	.50	.40	
8-10'	.65	.55	
	.00	.00	
PRUNUS			
americana—AMERICAN PLUM 20			
Attractive large fruit, edible.			
5-6'	.50	.40	
6-8'	.65	.55	
8-10'	.80	.70	

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
PRUNUS				
3-4' 4-5' 5-6' 6-8' serotina—WILD B	ort—PURPLE-LEAVED AMERIC	AN PLUM .50 .55 .65	.40 .50	
fruit. 5-6' 6-8' 8-10'		.40 .65 .80		
Drooping branches ers	a—ROSEBUD WEEPING CHERI covered with rose flow- heads2.50	RŸ		
		.50 .65	.40 .55	
Treeform Kwanzan 2-3'	WERING CHERRIES	.55 .80	.70	
Bushform Kofugen, double, o Shirofugen, semi-d 6-8'				
	EE	.55 .70	.50 .65	.55
	LACK LOCUST 80'			
$1\frac{1}{2} \cdot 2$ " $2 \cdot 2\frac{1}{2}$ "		1.20 1.60 2.00 2.40		
Long slender olive	YLON WEEPING WILLOW 40 0-green branches	.50	.40	
6-8'	.90 .1.50	.70 1.20	.65 1.05	

1 10 9	10 to 29	30 to 249	250 & Up Each
SALIX—Willow	Each	Each	Eden
blanda—WISCONSIN WEEPING WLLOW 50'			
Long narrow shiny leaves. 5-6'	.50	.40	
6-8'	.70	.65	
8-10'	1.00	.90	
discolor—PUSSY WILLOW 15'			
Large catkins. Fine for cutting. 5-6'	.65	.60	
6-8'	.90	.80	
elegantissima—THURLOW WEEPING WILLOW	50'		
Yellow bark, fast grower. 5-6'	.50	.40	
6-8'	1.00	.90	
$1\frac{1}{4} \cdot 1\frac{1}{2}$	1.20	1.05	
1½-2"1.75	1.40		
Niobe—GOLDEN WEEPING WILLOW Very hardy, yellow bark.			
6-8'	.70	.65	
8-10'	1.00 1.20		
	1.20		
pentandra—LAURELLEAF WILLOW 30' Glossy foliage, round head.			
6-8'	.70	.65	.55
8-10'	.95	.85	.70
SORBUS-Mountain Ash			
americana—AMERICAN MOUNTAIN ASH			
Small tree with bright red fruit.	0.5		
6-8'	.95	.85	
aucuparia—EUROPEAN MOUNTAIN ASH 40° Scarlet berries in August and September.			
5-6'	.70	.65	
6-8'	.95 1.20	.85 1.05	
$1\frac{1}{4} \cdot 1\frac{1}{2}$	1.40	1.20	
1 ½-2" 2.00			
2-21/2"			
TILIA—Linden			
americana—AMERICAN LINDEN 75'			
Fast growing tree with large leaves. Yellow			
flowers in June. 1½-2"			
2-21/2"			
2½-3"			
cordataSMALL-LEAVED LINDEN 100' Narrow, pyramidal tree with dark green			
foliage.			
6-8'1.20	.95	.85	.70

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
ULMUS—Elm	Laci	Lacii	Lacii
americana—AMERICAN ELM 100'			
Best known American tree.			
8-10'	1.00	.90	.70
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	1.20	1.05	.90
1 ½-1 ¾	1.60	1.40	1.20
13/4-2"	2.00	1.75	1.50
$2-2\frac{1}{2}$ "	2.85	2.45	2.10
MOLINE ELM 80'			
Smooth bark, large foliage.			
6-8'	.80	.70	
8-10'	1.20	1.05	.90
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	1.60	1.40	1.20
$1\frac{1}{2} \cdot 1\frac{3}{4}$	2.00	1.75	1.50
13/4-2"	2.40	2.10	1.80
2-21/2"4.00	3.20	2.80	2.40
VASE ELM 50'			
Vase shaped type of American Elm.			
8-10'	1.20	1.05	
$1\frac{1}{4} \cdot 1\frac{1}{2}$ "	1.60	1.40	
$1\frac{1}{2} \cdot 1\frac{3}{4}$	2.00	1.75	
$1\frac{3}{4} \cdot 2''$	2.40 3.20	2.10 2.80	
$2 \cdot 2 \cdot \frac{1}{2}$	3.20	2.00	
272-3			
pumilα—-CHINESE ELM 50'			
Fast growing tree, compact habit of growth.	0.5		
6-8'	.65	.55	.50
$1\frac{1}{4} - 1\frac{1}{2}$ "	1.20 1.80	1.05 1.60	.90 1.35
$1\frac{1}{2} - 1\frac{3}{4}$ "	2.40	2.10	1.33
2-2 \frac{1}{2}'' \qquad \qquad 3.50	2.40	2.10	
$2^{1/2} \cdot 3^{1/2} \cdot 3^{1$	3.20	2.40	
3-3½"	5.00	2.00	
3½-4"	0.00		

EVERGREENS

TI A TILICALITIEM	-		
ABIES—Fir	5 to 9 Each	10 to 29 Each	30 & Up Each
concolor —CONCOLOR FIR 2-3'	2.00	1.75	
HIMIDERIIS Junipor			
JUNIPERUS—Juniper	HIMHDED	10'	
chinensis albovariegata—WHITELEAF CHINESE Slow growing, coneshaped with white- yellow tips.	JUNIPER	12	
18-24"	1.40	1.20	1.05
2-3'	1.60	1.40	1.20
	001111011	HINDED	
chinensis columnaris viridis—GREEN CHINESE	3.25		
3-4'	3.23	3.00	
chinensis keteleeri — KETELEER JUNIPER 20'			
Gray-green foliage, large berries.			
2½-3′	2.45	2.20	2.00
3-4'3.50	3.25	3.00	2.75
chinensis pfitzeriana—PFITZER JUNIPER 6'			
Spreading type with blue-green foliage.			
15-18"	1.55	1.40	1.20
18-24''	2.00	1.80	1.75
2-21/2'	2.25	2.10	2.00
$2\frac{1}{2}-3$	3.00	2.75	
3-4'	4.00		
chinensis sargentiSARGENT JUNIPER 1'			
A green, spreading Juniper used as			
ground cover.			
18-24"	2.00	1.80	
2-3'	2.25	2.00	
3-43.00			
communis UPRIGHT COMMON JUNIPER			
3-4'	1.55	1.40	
communis depressa — SPREADING COMMON JU	MIDED		
Spreading, gray-green foliage.	NIPER		
2-3'	1.55		
3-4'	2.00		
	2.00		
communis hibernica—IRISH JUNIPER 10' Form a narrow column.			
18-24"	.90	.85	.80
2-3'	1.10	1.00	.95
	1.10	1.00	.00
excelsa stricta—SPINY GREEK JUNIPER 5'			
Cone shaped evergreen wih broad base. 12-15"	0.0	0.0	
15-18"	.90 1.35	.80 1.20	
	1.33	1.20	
horizontalis—CREEPING JUNIPER 11/2'			
Low creeper, dark green foliage.			
18-24"	1.35	1.25	1.15
2-3'	1.80	1.60	1.50

l to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
JUNIPERUS—Juniper			
horizontalis depressa plumosa—ANDORRA JUNIPE	R 1'		
Creeping evergreen, foliage purple in winter.	1.80	1.60	1.50
	1/2'		
A blue variety.			
2-3'	1.80	1.60	1.50
,	5'		
Vase-shaped Juniper, dark green.			
2-3'	2.20	2.00	1.80
japonica gracilis 4'			
Not as upright as variety erecta, grace-			
ful arching branches.			
2-3'	2.20	2.00	1.80
sabina—SAVIN JUNIPER 4			
Spreading plant, dark green.			
15-18"	1.40	1.30	1.20
18-24''	1.80	1.70	1.60
2-3'	2.25	2.10	2.00
3-4'	2.75	2.60	2.50
sabina tamariscifolia 2'			
A low compact Juniper with fine needles.			
15-18''	1.80	1.60	1.40
18-24''	2.25		
2-3'	2.25		
scopulorum—CHANDLER SILVER			
Improved variety. Silvery blue color.			
2-3'	2.00	1.80	
3-4'	2.70	2.40	
squamata meyeri—MEYER JUNIPER 5'			
Bluish color, spreading.			
15-18"	1.55	1.40	
18-24"2.00	1.80	1.75	
virginiana— REDCEDAR 60'			
2-3'	1.55	1.40	
3-4'	2.25		
4-5'	4.00		
virginiana cannarti—CANNART REDCEDAR 15'			
Dark green foliage, small blue berries.			
2½-3′	2.45	2.20	
3-4'	3.25	3.00	
4-5'	4.50		
virginiana schotti—SCHOTT REDCEDAR 12'			
Foliage bright green to yellow.			
3-4'	2.80	2.45	2.10
PICEA—Spruce			
canadensis WHITE SPRUCE			
Very compact tree with short needles.			
15-18"1.25	1.00	.90	.75
canadensis albertiana—BLACK HILL SPRUCE			
Dense growing, bluish tint.			
18-24"1.75	1.55	1.40	1.20
2-3'	2.00	1.80	1.60
=			

1 to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
PICEA—Spruce		_ 3011	
excelsa—NORWAY SPRUCE 80' Sharp, pointed green needles.			
18-24"	1.10	1.00	
2-3'	1.50	1.35	1.25
3-4'	2.00	1.80	
orientalis—ORIENTAL SPRUCE 100' Short, shiny needles, slow growing.			
15-18"			
18-24'' 			
pungens morheimi MORHEIM SPRUCE			
10-11'			
12-13'			
13-14'80.00			
PINUS—Pine			
montana mughus—MUGHO PINE 4'			
Dwarf, round and compact.			
15-18"	2.00	1.75	1.50
18-24"3.50 nigra austriaca—AUSTRIAN PINE 70"	2.80	2.45	2.10
Deep green color, long needles. Symmetrical			
shape.			
2.3'3.00	2.40		
3-4'	3.20		
14-16'			
strobus—WHITE PINE 100'			
Long blue green needles, smooth bark.	1.00	1.00	
2-3'	1.80 2.40	1.60 2.10	
sylvestris—SCOTCH PINE 70	2.40	2.10	
Light green needles, reddish bark. Unsym-			
metrical rugged appearance. 2-3'	1.00	1.00	
2-3'	1.80 2.40	1.60 2.10	
	2.40	2.10	
PSEUDOTSUGA			
douglasi —DOUGLAS FIR 2-3'	1.80		
3-4'	2.00		
DETINOCHOR Chamber and			
RETINOSPORA—Chamaecyparis pisifera—SAWARA CYPRESS			
18-24"	1.00		
, 2-3'	1.20		
3-4'			
pisifera filifera—THREAD—RETINOSPORA 2-3'			
3-4'			
4-5'			
plumosa —PLUME CYPRESS			
2-3'	1.20		

I. E. ILGENFRITZ' SONS CO. THE MONROE NURSERY		EVER	GREENS
1 to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
TAXUS—Yew	Lucii	Lucii	Luch
cuspidata—SPREADING JAPANESE YEW 6'			
Dark green needles.			
15-18"3.00	2.40	2.10	1.80
18-24''	2.80	2.45	
cuspidata capitata—UPRIGHT JAPANESE YEW			
An upright form.			
2½-3′			
3-31/2'			
$3\frac{1}{2}$ - 4 '			
4½-5′			
5-5½'			
5½-6'			
Heavy Specimens 25% extra.			
THUJA—Arborvitae			
occidentalis—AMERICAN ARBORVITAE 40'			
Fine for formal hedges. Also used for			
screens.			
2-3'	1.40		
3-4'	2.00		
4-5'	2.80		
5-6' Cut back6.00	5.00		
6-8' Cut back	5.50		
8-10'	8.00		
10-12'12.50	10.00		
occidentalis douglasi—DOUGLAS ARBORVITAE	25′		
Handsome curly foliage, light and dark green contrasts. Pyramidal shape.			
2-3'	1.40		
3-4'	2.00		
4-5'	2.80		
5-6'	4.00		
6-8'	5.50		
8-10'9.00	7.50		
occidentalis elegantissima—GOLDTIP ARBORVI	TAE 15'		
Branches have yellow tips, most noticeable			
in Spring. Pyramidal form.	1.40		
2-3'	1.40 2.00		
3-4	2.00		
occidentalis lutea—GEORGE PEABODY ARBORV	TTAE 15'		
Growth resembling American Arborvitae.			
Bright yellow.	0.00		
3-4'	2.00 2.80		
5-6'	4.00		
U-U	4.00		

	l to 4 Each	5 to 9 Each	10 to 29 Each	30 & Up Each
THUJA—Arborvitae				
occidentalis pyramidalis—PYRAMIDAL ARE	BORVITA	E 25'		
Very compact.				
2-21/2'		1.40	1.30	1.25
2 ½-3'		1.90	1.65	1.50
3-4'		2.35	2.15	2.00
4-5'		3.25	3.00	
5-6'				
9-10'				
10-12'				
occidentalis wareana—SIBERIAN OR WARE	E ARBOR	VITAE	15'	
Blue green color, cone shaped, slow grower.	0.50			
2 ½-3'				
3-3 ½' 3 ½-4'				
4-5'				
occidentalis woodwardi—WOODWARD ARE		E 6'		
Perfectly round, no trimming required.	ONVITA	L		
15-18"	1.50	1.25	1.10	
18-24"	2.00	1.65	1.50	
orientalis-CHINESE ARBORVITAE 25'				
3-4'	2.50	2.00	1.75	1.50
4-5'	3.50	2.80	2.50	2.25
5-6′	5.00	4.00		
orientalis aurea nana—BERKMAN ARBOR'	VITAE			
Dwarf, light yellow, compact.				
12-15"		.85	.75	.70
15-18"		1.40	1.20	1.00
orientalis bakeri—BAKER ARBORVITAE 7'				
Pyramidal form, dark green color. 18-24"	2.00	1.60	1.40	
2-3'		1.40	1.40	
	1.70	1.40	1.20	
TSUGA—Hemlock				
canadensis—CANADIAN HEMLOCK 75'				
Light green needles.				
2 ½-3'		2.80	2.50	2.25
3-3 ½'		3.75 4.50	3.25 4.00	3.00
4-5'		4.50	4.00	3.75
	0.00			

BROAD LEAVED EVERGREENS

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
BUXUS—Boxwood				
sempervirens—COMMON BOXWOOD				
3-3½' Heavy Plants	4.50			
3½-4' Heavy Plants				
On I Heavy Hamb	. 0.00			
DIMBE POVI	7000			
sempervirens suffruticosa—DWARF BOXW				
2-2½'				
21/2-3'	.5.00			
CHONWALIC				
EUONYMUS				
patens 10'				
Good shrub for winter effect. Holds leaves				
till spring. Slow growing and compact.				
18-24''				
2-3'				
3-4'	. 1.50	1.25		
radicans—WINTER CREEPER 15'				
Can be used as vine or for edging or ground				
cover. Evergreen.				
12-15"	30	.27	.24	
15-18''	35	.31	.28	
radicans vegetusBIG LEAF WINTERCREE	PER	20'		
Large glossy green foliage, scarlet berries.				
Evergreen.				
15-18"	50	.40	.35	
MAHONIA				
aquifolium—OREGON HOLLY GRAPE 5'	May			
Likes shady location. The shiny dark green				
leaves turn bronze in fall and remain on the				
stems all winter. Blue berries.				
15-18"	.1.50	1.35		
18-24"		1.55		
. ==				
PYRACANTHA				
coccinea-FIRETHORN				
Orange and red berries in winter.				
18-24" B&B	. 1.25	1.10		
2-3' BB		1.35		

VINES

Ē	to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
AMPELOPSIS aconitifolia Deeply cut foliage, orange berries. 3 Year No. 1	.50	.45		
heterophylla—PORCELAIN IVY Fruit changing from lilac to light green blue and white. 3 Year No. 1	.50	.45		
tricuspidata (veitchi)—BOSTON IVY 50' Clings to brick or stone walls. In wide use 2 Year No. 1	.30	.27	.24	.20
tricuspidata lowi—GERANIUM CREEPER Small leaves, turning bright red in fall. Slow growing. Climbs on brick. 2½" Pots	.20	.18	.15	.14
quinquefolia—VIRGINIA CREEPER Fast growing, no tendrils. For fences, w structures and ground cover. 2 Year No. 1		.18	.15	
ARISTOLOCHIA sypho—DUTCHMAN'S PIPE 30' Large, round leaves, flowers resembling				
pipes. 2-3'	.50	.40	.35	
BIGNONIA radicans—TRUMPET CREEPER 30' Scarlet, trumpet-shaped flowers in July. No. 1		.18 .12	.15	
CELASTRUS orbiculatus—ORIENTAL BITTERSWEET 40' The orange and scarlet fruits cling close to the stem.				
2 Year No. 1		.18 .12	.15 .10	
scandens—AMERICAN BITTERSWEET 25' The red berries retain their color and are popular for cutting. 2 Year No. 1		.18	.15	
2 Year No. 1½	.15	.12	.10	

			VII VES
l to 9 Each	10 to 29 Each		250 & Up Each
CLEMATIS—Large flowering varieties			
2 Year No. 1	.40		
paniculata—SWEET AUTUMN CLEMATIS 30			
White fragrant flowers. 2 Year No. 1	.22	.20	
HEDERA			
helix—ENGLISH IVY 2½" pots	.12	.10	
helix baltica—HARDY ENGLISH IVY			
Small leaved variety. Will climb on brick. 2½" Pols	.12	.10	
LONICERA—Honeysuckle GOLD FLAME			
Coral flowers, clear yellow inside.			
2 Year No. 1	.35	.30	
japonica halliana—HALL JAPAN HONEYSUCKLE Creamy white fragrant flowers. Excellent ground cover or for screening on fence wires.	25′		
Extra heavy	.18		
2 Year No. 1	.12 .10	.10 .08	
sempervirens—SCARLET TRUMPET HONEYSUCKL	E 30		
Long scarlet flowers.			
2 Year No. 1	.18		
No. 1½	.12		
POLYGONUM			
auberti—SILVERLACE VINE 30' Large sprigs of white flowers, fast growing.			
2 Year No. 1	.25		
WISTERIA			
sinensis—CHINESE PURPLE WISTERIA 40'			
Long clusters of flowers in May.	0.5		
2 Year No. 1	.35		
sinensis alba—CHINESE WHITE WISTERIA 40'			
A white flowering variety. 2 Year No. 1	.35		
Wisterias with heavy canes grown in bush form, all have bloomed.	.33		
4 x 4' B&B	3.60		
5 x 5' B&B	4.50		

1 to 9 10 to 29 30 to 249 250 & Up

HYBRID TEA ROSES

Prices are for quantities of the same variety and grade.

	Each	Each	Each	Each
2 Year No. 1	.55	.50	.45	.40
2 Year No. 1½	.45	.40	.38	.35
AMI QUINARD			Dark Vel	vety Red
AUTUMN			Burnt	Orange
BETTY UPRICHARD			. Orange	Carmine
CALEDONIA				White
DAME EDITH HELEN			Large I	Pure Pink
EDEL				White
EDITH NELLIE PERKINS			Salı	non Pink
E. G. HILL				Scarlet
ETOILE D'HOLLANDE			I	Dark Red
GLOWING CARMINE				Carmine
GOLDEN DAWN			.Sunflowe	er-Yellow
GOLDEN SASTAGO				Yellow
GRUSS AN TEPLITZ			Ch	erry Red
INDEPENDENCE DAY			. Orange	and Pink
JOANNA HILL			India	n Yellow
KAISERIN A. VICTORIA			Crean	ny White
MARGARET McGREDY		. Brilliant	Red, Gold	den Base
MME. JOSEPH PERRAUD			Copper	r Yellow
MRS. AARON WARD				Yellow
MRS. PIERRE S. DuPONT			Golde	n Yellow
PINK DAWN				Pink
PRESIDENT HOOVER			Reddish	ı Orange
RED RADIANCE			Bright	Crimson
SOEUR THERESE				Yellow
TALISMAN			opper and	d Yellow
VILLE DE PARIS			.Sunflowe	er-Yellow
_ :				

CLIMBING ROSES

2 Year No. 1	Each	10 to 29 Each .50	30 & Up Each .45	
CLIMBING AMERICAN BEAUTY. DOROTHY PERKINS. DR. VAN FLEET. EXCELSA. PAUL'S SCARLET CLIMBER. PRIMROSE SILVER MOON.			She	ell Pink sh Pink Crimson Scarlet Yellow

POLYANTHA ROSES

	1 to 9 Each	10 to 29 Each	30 & Up Each
2 Year No. 1	.55	.50	.45
2 Year No. 1½	.45	.40	.38
ELSE POULSEN			$\dots\dots\dots\text{Pink}$
GOLDEN SALMON			Orange
IDEAL			Dark Red
KATHERINE ZEIMET			
KIRSTEN POULSEN			Bright Scarlet

RUGOSA, HYBRID RUGOSA and MISCELLANEOUS ROSES

blanda MEADOW ROSE			
2 Year No. 1	.25	.22	.20
2 Year No. 11/2	.20	.18	.15
F. J. Grootendorst			
Bright red flowers in clusters.			-
2 Year No. 1	.35	.30	.28
hugonis—GOLDEN ROSE OF CHINA			
Profusion of yellow flowers.			
2 Year No. 1	.30	.28	.25
lucidα —VIRGINIA ROSE			
2 Year No. 1	.25	.22	.20
2 Year No. 1½	.20	.18	.15
rubiginosa—SWEETBRIAR ROSE			
Pink flowers, orange colored fruit.			
2 Year No. 1	.30	.28	.25
rubrifolia—REDLEAF ROSE			
2 Year No. 1	.30	.28	.25
rugosa—PINK RUGOSA ROSE			
Early single pink flowers, large fruit.			
2 Year No. 1	.30	.28	.25
setigera—PRAIRIE ROSE			
2 Year No. 1	.25	.22	.20
wichuriana—WICHURIAN ROSE			
2 Year No. 1	.25	.22	20

FRUIT TREES

Offered only in combination with ornamental stock STANDARD APPLES

2 years, budded

Prices are for quantities of a grade and variety.

		10 to 29 Each	
11/16" and up	.75	.60	.50
9/16"-11/16"	.65	.50	.40
7/16"-9/16"	.45	.35	.30

ANOKA-

BALDWIN—Large, bright red, fine for cooking and eating. November.

BANANA—Large, pale yellow with red blush, tender. October.

CHENANGO-Medium, yellow striped, early bearer. August.

CORTLAND-Deep red, large. October.

CRIMSON BEAUTY—Productive annual bearer, red. July

DUCHESS—Medium, red striped, cooking apple. August.

EARLY HARVEST—Medium, yellow, excellent for eating. July.

FAMEUSE—Snow apple, medium, red striped, for eating. October.

GALLIA BEAUTY—Red Rome, solid red, medium. November.

GRIMES GOLDEN—Golden yellow, medium. November.

JONATHAN—Medium, dark red. November.

KING-Large, fine for cooking. October.

KENDALL-Red. September.

KIRBY-Medium, deep red, improved Delicious. November.

McINTOSH-Medium, red. October

NORTHERN SPY-Large, bright red, striped. November.

RAMBO—Medium, pale green. November.

RED DELICIOUS—Large, red, excellent eating apple. November.

STAYMAN-Medium, red. December.

STEELE RED-Juicy, fine flavor, yellow, striped deep red. November.

WEALTHY-Medium, bright red. October.

WINESAP—Medium, early and regular bearer. December.

YELLOW DELICIOUS-Yellow, fine flavor, annual bearer. November.

YELLOW TRANSPARENT-Medium, waxy, yellow. July.

CRAB APPLES

2 years, budded.

	l to 9 Each	10 to 29 Each	30 to 249 Each	
11/16" and up	.75	.60	.50	
9/16"-11/16"			.40	
7 /16"-9/16"	.45	.35	.30	.24

HYSLOP-Dark red. September.

PEACHES

	1 to 9 Each	10 to 29 Each	
11/16" and up	.75	.65	.60
9/16"-11/16"	.65	.55	.50
7/16"-9/16"	.55	.45	.40
5/16"-7/16"	45	.35	.30

Ripening dates are those of the South Haven, Michigan area and are approximate and relative.

Y—Yellow F—Freestone W-White C-Clingstone

SF-Semifreestone

ADMIRAL DEWEY YF-July 28th to August 5th.

AMBER GEM YC-August 28th to September 8th.

BANNER YF-September 30th to October 5th.

BELLE OF GEORGIA WF-Large fruit, productive. Sept. 5th.

CHAMPION WF- August 10-15.

CUMBERLAND WF-August 5th to August 12th

ELBERTA YF—September 10th to September 20th.

EARLY CRAWFORD YF-September 1st to September 5th.

GOLDEN EAST YF-Oval shaped, excellent quality. Sept. 1st.

GOLDEN JUBILEE YF-August 15th to August 20th.

GOLD DROP YF-September 25th to October 1st.

HALEHAVEN YF-August 25th to August 30th.

J. H. HALE YF-September 5th to September 10th.

KALHAVEN YF-September 7th to September 15th.

MIKADO YSF-August 1st to August 5th.

ORIOLE YF-August 5th to August 10th.

ROCHESTER YF-August 15th to August 20th.

SALBERTA YF-October 1st to October 5th.

SHIPPERS LATE RED YF—Large, Elberta, shaped, golden yellow. September 27th.

VALIANT YF-September 1st to September 10th.

VEDETTE YF-August 20th to 25th.

WILMA YF-September 15th to September 25th.

YELLOW ST. JOHN YF-August 10th to August 15th.

STANDARD PEARS

2 years, budded.

	1 to 9	10 to 29	30 to 249
	Each	Each	Each
11/16" and up	1.00	.85	.80
9/16"-11/16"	.90	.75	.70

BOSC—Tapering neck, yellow and russett. October.

CAMPAS—Blight resistant Kieffer. Early bearer.

CONFERENCE—Shining green, dotted russett. October.

FLEMISH BEAUTY—Clear yellow with red blush. September.

GORHAM—Resembles Bartlett but two weeks later. Good keeper.

KIEFFER-Yellow, blushed dull red. October.

SOUR CHERRIES

l year on Mahal	leb	э
-----------------	-----	---

	l to 9 Each	
11/16" and up		.85 .70

EARLY RICHMOND—Early, medium size, light red. ENGLISH MORELLO—Late, very dark red.

SWEET CHERRIES

2 year.

	to 9 lach	10 to 29 Each
11/16" and up	1.25	1.00
GOVERNOR WOOD—Pale yellow with red blu	sh.	

l year

	10 to 29 Each	
5/16"-7/16"	 .50	.40

SCHMIDT— Dark red. NAPOLEON—Yellow

SMALL FRUITS

BLACKBERRIES-No. 1 Suckers

10 to 29	30 to 249	250 & Up
Each	Each	Each
.10	.07	.05

ALFRED BLOWERS ELDORADO

MERSEREAU

RASPBERRIES, Red-No. 1 Suckers

10 to 29	30 to 249
Each	Each
.06	.05

CHIEF LATHAM

RASPBERRIES, Black and Purple—No. 1 Tips

10 to 29	30 to 249
Each	Each
.06	.05

CUMBERLAND

CURRANTS, Red—2 years No. 1

•				
	l to 9 Each	10 to 29 Each	30 to 249 Each	
CHERRY	20	.18	.15	
PERFECTION	20	.18	.15	
RED LAKE	25	.20	.18	
GRAPES—2 year No. 1				
_	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
AGAWAM, red	.20	.16	.14	.12
BRIGHTON, red	.20	.16	.14	.12
CACO, red	.35	.30	.25	.20
CONCORD, black	.20	.16	.14	.12
DELAWARE, red	.20	.16	.14	.12
FREDONIA, black		.30	.25	.20
NIAGARA, white		.25	.20	.15
PORTLAND, white		.30	.25	.20
WORDEN, black	.20	.16	.14	.12
ASPARAGUS—1 year				
normando i year	1 to 9	10 to 29	30 to 249	250 & Up
	Each	Each	Each	Each
MARTHA WASHINGTON	.05	.04	.03	.02
RHUBARB— $1\frac{1}{2}$ -2 in.		10 . 00	00 1 010	
	l to 9 Each	10 to 29 Each	30 to 249 Each	
MYATT LINNAEUS		.09	.08	
		.50	.50	

B & B Price Schedule

For deciduous stock not marked B&B in this price list.

For	trees	not	listed	in	this	price	list	add	αs	cost	of	trees	to	B & B	schedule.
-----	-------	-----	--------	----	------	-------	------	-----	----	------	----	-------	----	-------	-----------

<u>-</u>	
All sizes up to $3\frac{1}{2}$ "-4"	1.00 per in.
All sizes from 4" to $5\frac{1}{2}$ "-6"	1.50 per in.
All sizes above 6"	2.00 per in.

Shrubs and small trees 1

Approxim Weights	ate Diam. of Ball	Plant Size	l each	2 each	5 each	25 each
25	10 in.	18-24 in.	.60	.55	.50	.45
45	12 in.	2-3 ft.	.85	.75	.65	.60
55	13 in.	3-4 ft.	1.00	.90	.85	.80
85	15 in.	4-5 ft.	1.45	1.30	1.20	1.15
100	16 in.	5-6 ft.	1.75	1.60	1.50	1.40
145	18 in.	6-7 ft.	2.50	2.25	2.10	2.00
200	20 in.	7-8 ft.	3.50	3.15	3.00	2.80
265	22 in.	8-9 ft.	4.70	4.20	4.00	3.75
345	24 in.	9-10 ft.	6.10	5.50	5.20	4.90
		Standar	d shac	de trees		
145	18 in.	$1\frac{1}{4}$ - $1\frac{1}{2}$ in.	2.50	2.25	2.10	2.00
170	19 in.	$1\frac{1}{2}$ - $1\frac{3}{4}$ in.	3.10	2.70	2.55	2.40
230	21 in.	$1\frac{3}{4}-2$ in.	4.10	3.70	3.50	3.30
345	24 in.	2 $-2\frac{1}{2}$ in.	6.10	5.50	5.30	4.90
500	27 in.	$2\frac{1}{2}-3$ in.	8.20	7.40	7.00	6.60
675	30 in.	3 $-3\frac{1}{2}$ in.	11.00	9.90	9.35	8.80
1070	35 in.	$3\frac{1}{2}-4$ in.	17.00	15.30	14.50	13.60
1600	40 in.	4 $-4\frac{1}{2}$ in.	25.50	23.40	20.80	18.20
2100	44 in.	$4\frac{1}{2}-5$ in.	34.00	30.60	28.90	27.20
2750	48 in.	5 $-5\frac{1}{2}$ in.	44.00	39.60	37.40	35.20
3500	52 in.	$5\frac{1}{2}$ -6 in.	56.00	50.40	47.60	44.80
4400	56 in.	6 $-6\frac{1}{2}$ in.	71.00	63.90	60.30	56.80
5400	60 in.	$5\frac{1}{2}$ -7 in.	90.00	81.00	76.50	72.00
6550	64 in.	7 -7½ in.	114.00	102.00	96.90	91.20
7900	68 in.	$7\frac{1}{2}-8$ in.	144.00	129.60	122.40	115.20

CONDITIONS OF SALE

- PRICES in this list cancel those in all previous price lists and are subject to change without notice. All sales and contracts are made subject to crop loss or loss through other causes over which we have no control.
- TERMS: Cash, unless credit has been established, when accounts are due thirty days from invoice date.

 Past due accounts bear 6 per cent interest from maturity.
- CLAIMS will be entertained only when made in writing within ten days after arrival of goods.
- GUARANTEE: If any nursery stock proves untrue to name, we will replace it or refund the money but in no case are we responsible for more than the amount originally paid.

SHIPPING INFORMATION

SHIPPING FACILITIES—Railroads—Michigan Central, N. Y. C., Pere Marquette, Grand Trunk.

PACKING will be added to the listed prices at cost.

BOXING CHARGES will be added as follows:

	6′	8'	10'	12'
30 x 30 inches	4.50	5.50	6.50	7.50
28 x 28 inches	4.00	5.00	6.00	7.00
24 x 30 inches	3.75	4.75	5.75	6.75
24 x 24 inches	3.25	4.25	5.25	6.25
20 x 20 inches	2.75	3.75	4.75	5.75

Paper lining extra at cost.

Bales 35c to \$4.00 according to size.

SHIPMENT—Our responsibility for delivery of stock ends when shipment has been delivered in good condition to the transportation company. If stock is not received in good condition, any claim for adjustment of loss or damage is a matter between the consignee and carrier.

NURSERY LOCATION—On U. S. 24 Monroe, Michigan. 40 miles south of Detroit—20 miles north of Toledo. Office — 708 E. Front St.

INDEX

	Page
B & B Schedule	40
Broadleaved Evergreens	31
Evergreens	26-30
Fruit Trees	36-38
Roses	34-35
Shade Trees	16-25
Shrubs	1-15
Small Fruits	38-39
Vines	32-33



